



????? - ?????? ?? ?? - MEDAVITA

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???



MEDAVITA

✉ bbazar@globelife.com
☎ +39 0331 1706328

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???

???? ?? ??? ?????? ?????? ? ????????? ?? ??? ??? ??????? ? ????? ?? ?? ? ??????? ?? ?? ? ??
?? ?????.

?? MILK ?? pH iperproteico 5.8
??? ??????? ?? ????? ? ?? ?? ?????? ??? ? ?????? ???.
1000 ????? ????? ?????.

?? ?????? COSMETIC pH ?????? 5.8
????? ??? ? ??? ? ?? ?? ?????? ?? ??? ????? ??? ?????? ?? .???? ????? ????? 250 ????? ??????
???? ??? ??? 1000 ????? ?????

??? ??? ?? ??? ????? ? ????? ?? ??? ??? ??????????. 250 ????? ????? ?????.

?? DET. pH ? ?????????? ????? 5.5
????? ?????? ??? ?? ?????? ? ??????? ?????? ????? ??????? ?? ?? ?? ????? ??? ??? . 1000 ????
???? ?????.

?? ??????????? DOPOCOLORE pH ?????? 3.5
???? ? ??????? ????? ??? ?? ??? ?????? ????? ??????? .???? 7 ????? ????? ??????? 24 ???.

?? ?? ?? pH ?????????? 4.5
?????? ??? ??????? ????????? ????? ?????? ??? ??? / ????? ????? ??????? ? ?????.
250 ????? ????? ?????.