



????? - ?????? ?? ?? - MEDAVITA

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???



MEDAVITA

✉ bbazar@globelife.com
☎ +39 0331 1706328

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???

???? ?? ??? ?????? ?????? ? ?????????? ?? ??? ??? ?????????? ? ????? ?? ?? ? ?????????? ?? ?? ? ??
?? ??????

?? MILK ?? pH iperproteico 5.8
??? ??????? ?? ????? ? ?? ?? ?????? ??? ? ?????? ???.
1000 ????? ????? ?????.

?? ?????? COSMETIC pH ?????? 5.8
????? ??? ? ??? ? ?? ?? ?????? ?? ??? ?????? ??? ?????? ?? .???? ????? ????? 250 ????? ??????
???? ??? ??? 1000 ????? ?????

??? ??? ?? ??? ????? ? ????? ?? ??? ??? ??????????. 250 ????? ????? ?????.

?? DET. pH ? ?????????? ????? 5.5
????? ?????? ??? ?? ?????? ? ?????????? ?????? ?????? ?????? ?? ?? ?? ?????? ??? ??? . 1000 ????
???? ?????.

?? ??????????? DOPOCOLORE pH ?????? 3.5
???? ? ??????? ????? ??? ?? ??? ?????? ????? ??????. ??? 7 ????? ????? ??????? 24 ???.

?? ?? ?? pH ?????????? 4.5
?????? ??? ??????? ?????????? ????? ?????? ??? ??? / ????? ????? ??????? ? ?????.
250 ????? ????? ?????.