



????? - ????? ?? ?????? - BIACRÉ'

???????? P ?????????????
?????? ?? ?????????? ????? keratinico



✉ bbazar@globelife.com
☎ +39 0331 1706328



???????? P ?????????????
?????? ?? ?????????? ????? keratinico

?? ?????????? ??? ???? ?????????? reinstates. ?????????? ?????????? ?? ?????????? ????? ?? ??? ??????
??? ?? ?? ?????????????? ?????? ?????????? ?????? ?????????? ?? ?????????? ?????????? ?????????? ??
????? ?? ?????????? ?????? ?????? ??????

????? ??? ??? ??????
??? 1-pH 7.0/7.5

????????? ?? ??? ?????????? ?????? '?????? ?? ?????? ?? ?????????? ?? ?????????? ?????? ??? ??????????
????????? ?? ?????? ?????? '?????????' ?????????? ?? ?????? ?? ?????????? ?? ?????? ?? ?????? ?????? ??
????? ?? ??? ?????????????? ?????????? ?????? ?? ?? ?????? ?? ?????? ?? ?????????? ?? ?????????? ??
????????? ?????? ?? ??? ?? ?????? ?????????? ?????? ?? ??? ?????????? ?????????????? ?????? ?? ?????????? ??
????? ?????? ???

????? ??? ?????? ??????
??? 2-????? 4.0/4.5

??? ?????????? ?? ?????? ?? ??? ?????? ??? ?? ?????? ?? ?????? ?????????? ?? ?????????? ?? ???
????????????? ?????????? ??? ?????? ?? ?????? ??? 1 ?????? ??? ?????????? ?????????????? ?????? ?? ??????
????????? ?? ?????????? ?????????????? ??? ?? ?????? ??? ?????? ?????????? ?????? by ?? ?????? ??????

????????? ?????????? ?????? ??????
??? 3-????? 4.5/5.0

????????? ?????? '????????? ?? ?????????? ?????? ?????????? ?????????????????? ?????? ?? ?????? ?????????
reconstructs' ?????????? ?? ?????????? ?????????? ?? ??? ?? ?????? ?? ??? ?? ?????? ?? ?????? ??????
?????? ?? ??? ?????????? ?????? ?? ?????? ?????? ?? ?????? ?????? ?? ??? ?????????? ?????? ???
?????: PURIFYING ?????????? 500 ?????????? ?? ?????; ??? ?????? 500 ?????????? ???; ?????????
????? ?????????? ?????? 200 ?????????? ?? ??? ???; ?? ??? ?? ?????? ?? ???; 100 ?????? ?? 3 ??????????

KERANTIN ?????????????? ?? ??? ?????? ?????? ?? ??????
?? ??? ?? ??? ?????? ??? ?? ?????? applicator ?? ?? ?????? ?? ?????? ???